

#### www.migaworld.com

1	Introduction
1	Introduction

- 3 History
- 11 Doors
- 23 Floorings & Framewalls
- 33 Louvers & Pillars
- 39 Moudlings & Panels

# The Beautiful Housing









Picture Description

**Top** Overview of Shinil Frame **Bottom** Warehouse and Shipment

# Using over 45 years of experience and technology to satisfy customers in over 60 different countries!

Shinil Frame manufactures environment-friendly Polystyrene Moulding and possesses approximately 200 patent licenses based on 45 years of accumulated technology.

We export products to 60 countries around the world and are recognized for manufacturing top quality moulding products under the brand name MIGA.

We are a company priding ourselves on our export record of over 10 million dollars.

Yet, we put interest of our customers first by adding hardwood charcoal for the first time in the industry.

We have successfully focused on promoting health of our clients and with its superior design, MIGA is one of the most sought after mouldings in the industry. Furthermore, Shinil Frame became the first in the world to manufacture PS doors. This was an effort to meet market demands and raise the standard in the door market.

The source of our growth comes from the loyal support of our clients from all over the world and our efforts to return that favor. With this background, we at Shinil Frame promise to provide even better products and excellent services to satisfy our client's needs.

Shinil Frame CEO 5 4 4 3

The Beautiful Housing – 1


#### SHINILFRAME HISTORY

Rebranding of Miga 04 Awarded 3rd prize in Los Angeles Invention Patent of pearl effectiveness on mouldings 15 Design Registrations Inspection of Pollutant Emission for New door and flooring products Miga store Launch 30 Design Registrations 22 Design Registrations Launching Miga Panels Won \$10 million Export Tower Award Inno-Biz Registration Established China branch office Selected the member of economic mission to Central Asia with Presi-Invention Patent of Nano Interior dent Geun-hye Park Invention Patent of Anion Interior Selected the member of Economic Muyng-bak Lee Inno-Biz Registration

moulding Registration of ISO 9001 and ISO Choice of Kyunggi Blue Chip Registered Frame Miga brand Moved and expanded the facility 68 Design Registrations Established USA branch office (Paju Wolrong) Obtained the Q mark Obtained the mark of Eco-Friendly (Ministry of Commerce, Industry Choice of Kyunggi Internet Trade 55 Design (Frame Moulding) Awarded the Top managers Awarded Gold Tower Order of Founded as Shinil Trading Company (Younsei Univ.) 1993.08 Awarded the Top Commendation of Ministry of Commerce, Industry 1994.07 and Energy for RECYCLING Global Business Management (Hanguk Economy News) commenced producing frame moulding 1997.06 Choice of Woori Bank Blue Chip 1997.08 Utility Model Registration









Door Handles
301B



Hinges Butterfly Hinges: 8008 ABR Easy Hinges: 8009 ABR





Matching Colors

Door Handles











Moulding Color #1 Color #2





D1018

D1017 Available door sizes / Width: 650~970mm / Length: 1,800~2,250mm



88 Hinges

Butterfly Hinges: 8008 ABR Easy Hinges: 8009 ABR



Matching Colors

Moulding Color #3

Moulding Color #4

Door Handles 301B 88

Hinges







D1015 Available door sizes / Width: 650~970mm / Length: 1,800~2,250mm

Door Handles 301B







Moulding Color #7



88 Hinges








Moulding Moulding
Color #6 Color #7



D1014 Available door sizes / Width: 650~970mm / Length: 1,800~2,250mm

The Beautiful Housing – 13

D1016



Door Handles

305B 88 Hinges

Butterfly Hinges: 8008 ABR Easy Hinges: 8009 ABR

Moulding Color #41

Matching Colors

Door Handles 301S

Hinges
Butterfly Hinges: 8008 PN
Easy Hinges: 8009 PN
Stainless Hinges
Butterfly Hinges: 8007 SS
Easy Hinges: 8009 SS



Moulding Color #7





D1008

D1012 Available door sizes / Width: 650~970mm / Length: 1,800~2,250mm



Door Handles

372NI 88

Hinges

Butterfly Hinges: 8008 PN Easy Hinges: 8009 PN Stainless Hinges Butterfly Hinges: 8007 SS Easy Hinges: 8009 SS







88

Door Handles 305B



Hinges Butterfly Hinges: 8008 ABR Easy Hinges: 8009 ABR



D1002

D1004 Available door sizes / Width: 650~970mm / Length: 1,800~2,250mm



305B

Hinges Butterfly Hinges: 8008 ABR Easy Hinges: 8009 ABR



Matching Colors

Moulding Color #41



Moulding Color #43



Hinges Butterfly Hinges: 8008 ABR Easy Hinges: 8009 ABR

Door Handles

305B

88





Moulding Color #42

D1009 Available door sizes / Width: 650~970mm / Length: 1,800~2,250mm

Door Handles



#### Hinges

D1011

Butterfly Hinges: 8008 PN Easy Hinges: 8009 PN Stainless Hinges Butterfly Hinges: 8007 SS Easy Hinges: 8009 SS

Moulding Color #42

Matching Colors

Moulding Color #44

Door Handles 305B

88

Matching Colors

Hinges Butterfly Hinges: 8008 ABR Easy Hinges: 8009 ABR

Moulding Color #40



D1010







Door Handles

Matching Colors

372NI





D1001 Available door sizes / Width: 650~970mm / Length: 1,800~2,250mm



Door Handles

Matching Colors

372NI

D1005 Available door sizes / Width: 650~970mm / Length: 1,800~2,250mm

The Beautiful Housing - 21

D1007





# SEO Class / Materials

#### SEO class eco-friendly raw materials

SEO class categorizes the amount of formaldehyde emission (harmful chemical substances). This class has an emission rate of 0.3PPM per 24 hours (almost no emission).

\*What is formaldehyde? It is a harmful chemical substance that is a main factor of environmental disease. This can easily come in contact with the human body through air and vapor. Formaldehyde may cause serious health conditions such as skin disease, allergy, vomiting and in the worst case, cancer.

\*No. of test report: CT15-094343

Test Items	Unit of measure	Test Results
Amount of formaldehyde emission – Average Value	mg/L	0.3
Amount of formaldehyde emission – Maximum Value	mg/L	0.3

(Standard range for formaldehyde emission)



#### structure of MIGA charcoal flooring



#### What is a calcium board?

MIGA flooring is like a stone: it is water resistant and shock proof. It also retains heat better because it uses the same method as the traditional Korean flat-stone heating system (On-Dol)

Miga flooring has a Noise Absorption Core that helps to prevent over 30% of noise from surface contact.

It is highly effective at taking in noises through the floor.





#### Worry free, moisture proof flooring

MIGA charcoal flooring has a water resistant core, making it possible to clean with water. Also the low shrinking-swelling ratio makes it easy to stall in any weather condition.



#### The most eco-friendly floorinc

What makes MIGA charcoal flooring eco-friendly? It has a formaldehyde emission in the SEO class, contains charcoal powder for customers' health benefits, and doesn't require adhesives to prevent hazards from harmful chemicals.



#### High heat conductivity and retention

MIGA charcoal flooring helps with insulation and can help cut down on heating expenses. Because the board imitates a flat-stone heating system, it is suitable for On-Dol culture.
\*On-Dol: traditional Korean floor heating system

### Charcoal Floorings



MF001 Oak Gray Wash



MF003 Oak Steamed



MF002 Walnut



MF004 Teak

26

# MF009 Oak Blanc White The Beautiful Housing - 27

# Charcoal Floorings



MF005 Oak Natural



MF007 Maple



MF006 Birch



MF008 Oak White Wash

# Framewalls











FW3-704 (330x330, 15T)

FW3-707 (330x330, 15T)






FW6-707 (330x660, 15T)



FW6-704 (330x660, 15T)






FT 3 : 330mm(Width), 330 (Length), 13mm (Thickness) FT 6 : 330mm(Width), 660 (Length), 13mm (Thickness)

# Framewalls











Product Notation | Product Name - Color (Width, Length, Thickness)

138-40 / 139-40 : 150mm(Width), 2,400 (Length), 6mm (Thickness) 112-40 / 113-40 : 300mm(Width), 2,400 (Length), 6mm (Thickness) 108-40 : 70mm(Width), 2,400 (Length), 10mm (Thickness)

How to install(Cross-sectional drawing)



How to install





108-40(70x10T)



108-41(70×10T)



108-42(70x10T)



108-43(70×10T)



108-44(70×10T)



108-7(70×10T)



108-1069(70x10T)



108-1333(70x10T)





**138-41**(150x6T), **112-41**(300x6T)



**138-7**(150x6T), **112-7**(300x6T)





**138-1333**(150x6T), **112-1333**(300x6T)



**138-42**(150×6T), **112-42**(300×6T)





138-44(150x6T), 112-44(300x6T)





**139-41**(150x6T), **113-41**(300x6T)



**139-42**(150x6T), **113-42**(300x6T)



**139-43**(150x6T), **113-43**(300x6T)






#### AO1 (40 Color)

Product Size

500mm(Width), 60mm(Thickness), 2,215mm(height)





ALGORIAN CONTRACTOR CONTRACTOR


ATTACA MATERIA DE PARTICIO DE LA PARTICIO DEL PARTICIO DEL PARTICIO DE LA PARTICIO DEL PARTICIO DE LA PARTICIO DEL PARTICIO DE LA PARTICIO DEL PARTICIO DEL PARTICIO DE LA PARTICIO DE LA PARTICIO DE LA PARTICIO DE LA PARTICIO DEL PARTICIO D

## Pillars

AO2 (40 Color)

Product Size


200mm(Width), 60mm(Thickness), 2,215mm(height)







#### A03 (42 Color)






#### A04 (1 Color)

Product Size

200mm(Width), 60mm(Thickness), 2,300mm(height)



Part 13 \_ Pearl&Stone











Product Notation

121-41 (120x23T) | Product Name - Color (Width x Thickness)



#### Charcoal Interior Mouldings

Q10-41 (100x6T)

Q15-41 (150x6T)

Q20-41 (200x6T)

Q25-41 (250x6T)



121-41 (120x23T)



122-41 (100x19T)



123-41 (80x15T)





140-41 (80x14T)



142-41 (50x13T)



150-41 (80x12T)





157-41 (30x14T)









124-41 (60x11T)











807-41 (40x20T)

FARMBARK BARKSARA SARAKSARAKSA 120-41 (15x10T)







152-41 (85x25T)



161-41 (60x20T)



125-41 (30x14T)



153-41 (95x15T)



144-41 (80x11T)



176-41 (62x29T)



175-41 (60x42T)





Q30-41 (300x6T)

D19-41 (186x186)



D24-41 (236x236)

The Beautiful Housing - 39

SHINILFRAME



#### Part 06 \_ Natural Wood











#### Product Notation

#### 177-12 (130x23T) | Product Name - Color (Width x Thickness)



# Charcoal Interior Moulding





































D24-12 (238x238)



D33-12 (330x330)

















#### Product Notation

171-6 (130x23T)

172-6 (100x19T)

173-6 (80x15T)

174-6 (60x11T)

140-6 (80x14T)

142-6 (50x13T)

171-6 (130x23T) | Product Name - Color (Width x Thickness)


















153-6 (95x15T)





150-6 (80x12T)



156-6 (50x11T)



158-6 (18x10T)



130-6 (15x8T)




170-6 (120x31T)



152-6 (85x25T)



161-6 (60x20T)





144-6 (80x11T)



176-6 (62x29T)



175-6 (60x42T)



Moulding

Charcoal Interior

807-6 (40x20T)



C10-6 (100x7T)



C15-6 (150x7T)



C20-6 (200x7T)



C25-6 (250x7T)



C30-6 (300x7T)



D20-6 (200x200) D25-6 (250x250)



D30-6 (300x300)





#### Part 01 Noble Classic











#### Product Notation

#### 154-8 (107x22T) | Product Name - Color (Width x Thickness)





154-8 (107x22T)



146-8 (89x18T)



155-8 (70x16T)



140-8 (80x14T)



142-8 (50x14T)



150-8 (80x12T)




156-8 (50x11T)



157-8 (30x14T)





534-8 (32x18T)



152-8 (85x25T)



161-8 (60x20T)



153-8 (95x15T)



F10-8 (100x6T) F25-8 (250x6T) F15-8 (150x6T) F30-8 (300x6T) F20-8 (200x6T)



154-552 (107x22T)



146-552 (89x18T)



155-552 (70x16T)



140-552 (80x14T)



Moulding

142-552 (50x14T)



150-552 (80x12T)



156-552 (50x11T)



157-552 (30x14T)



158-552 (18x10T)



152-552 (85x25T)



161-552 (60x20T)



153-552 (95x15T)



B20-552 (200x9T)

B10-552 (100x9T) B25-552 (250x9T) B15-552 (150x9T) B30-552 (300x9T)



131-40 (60x16T) | Product Name - Color (Width x Thickness)

#### Product Notation

I 10: 99mm(Width), 6mm (Thickness), 2400mm (length)I

I 30 : 298mm(Width), 6mm (Thickness), 2400mm (length)

I 60: 595mm(Width), 6mm (Thickness), 2400mm (length)



Flat Mouldings




131-40 (60x16T)



131-43 (60x16T)



131-1069 (60x16T)



131-41 (60x16T)



131-44 (60x16T)



131-1333 (60x16T)






132-43 (50x13T)

132-40 (50x13T)



**132-1069** (50x13T)









133-40 (35x13T)



133-43 (35x13T)



**133-1069** (35x13T)





**132-44** (50x13T)



132-1333 (50x13T)



**133-41** (35x13T)



**133-44** (35×13T)



**133-1333** (35x13T)



110, 130, 160-712 **NEW** 



V10, V30, V60-711 **NEW** 



132-42 (50x13T)

131-42 (60x16T)

131-7 (60x16T)



**132-7** (50x13T)



133-42 (35x13T)



**133-7** (35x13T)







W10, W30, W60-2 **NEW** 



W10, W30, W60-4 **NEW** 



W10, W30, W60-6 **NEW** 



110, 130, 160-S1 **NEW** 



V10, V30, V60-712 **NEW** 



W10, W30, W60-3 **NEW** 



W10, W30, W60-5 **NEW** 



W10, W30, W60-7 **NEW** 



V10, V30, V60-710 **NEW** 



W10, W30, W60-1 **NEW** 



W 60: 595mm(Width), 6mm (Thickness), 2400mm (length)









S10, S30, S60-712














































U10, U30, U60-717 The Beautiful Housing - 49

T10, T30, T60-43







M10, M30, M60-43



L10, L30, L60-18



L10, L30, L60-20



L60-S1 *NEW* 




M10, M30, M60-41

M10, M30, M60-44



M10, M30, M60-42





L10, L30, L60-28 L10, L30, L60-29





M10, M30, M60-26



M10, M30, M60-32



N10, N30, N60-18



N10, N30, N60-28



N10, N30, N60-34



M10, M30, M60-27




M10, M30, M60-33



N10, N30, N60-19



N10, N30, N60-29



N10, N30, N60-39



M10, M30, M60-29



M10, M30, M60-22





N10, N30, N60-20




R10: 99mm(Width), 6mm (Thickness), 2400mm (length) R 30: 298mm(Width), 6mm (Thickness), 2400mm (length)

R 60: 595mm(Width), 6mm (Thickness), 2400mm (length)





P10, P30, P60-36



P10, P30, P60-39



R10, R30, R60-21



R10, R30, R60-24



P10, P30, P60-34







R10, R30, R60-22



R10, R30, R60-25



P10, P30, P60-35





R10, R30, R60-23



R10, R30, R60-30



R10, R30, R60-40



G10, G15, G20, G25, G30, G60-17



G10, G15, G20, G25, G30, G60-19



R10, R30, R60-31



R10, R30, R60-41




G10, G15, G20, G25, G30, G60-18












#### Product Notation

105-17 (15x8T) | Product Name - Color (Width x Thickness)











108-18 (70X10T) 109-18 (40X10T) 102-18 (25X10T)








































N15-39 (15X9.5T)






U15-714 (15X9.5T)


















189-20 (13X10T)


189-22 (13X10T)


EVELOR CONTROL



118-8 (13X13T)









The Beautiful Housing - 59







S16-966 (112×67T)



S16-1223 (112×67T)



230-966 (109×47T)



230-1223 (109×47T)



S18-966 (80×30T)



S18-1328 (80×30T)



S18-1223 (80×30T)



S18-1224 (80×30T)



577-966 (70×33T)



577-1223 (70×33T)



566-1328 (70×31T)



566-1223 (70×31T)



566-1224 (70×31T)



556-2 (57×26T)



556-4 (57×26T)



556-6 (57×26T)



J11-966 (51×38T)



J11-1223 (51×38T)





J11-1224 (51×38T)



J11-115 (51×38T)



J13-966 (42×27T)



J13-1223 (42×27T)



J13-1224 (42×27T)



J12-966 (35×24T)



J12-1223 (35×24T)



J12-1224 (35×24T)



947-868 (131×64T)



947-565 (131×64T)



947-566 (131×64T)



947-954 (131×64T)



947-955 (131×64T)



947-956 (131×64T)



400-954 (103×57T)



400-955 (103×57T)



400-956 (103×57T)



400-958 (103×57T)



229-966 (105×51T)



229-1223 (105×51T)



229-645 (105×51T)



Frames

229-955 (105×51T)



229-1068 (105×51T)



229-182 (105×51T)




916-397 (98×43T)



916-393 (98×43T)



916-461 (98×43T)



916-247 (98×43T)

The Beautiful Housing – 61





413-565 (92×46T)



413-566 (92×46T)



413-494 (92×46T)



413-919 (92×46T)



413-182 (92×46T)



849-565 (88×44T)



849-566 (88×44T)



849-373 (88×44T)



849-919 (88×44T)



919-565 (75×35T)



919-566 (75×35T)



696-401 (78×38T)



696-352 (78×38T)



690-198 (67×33T)



690-182 (67×33T)



829-935 (62×34T)



829-294 (62×34T)



829-934 (62×34T)





868-401 (87×43T)



868-397 (87×43T)



868-396 (87×43T)



868-645 (87×43T)



868-1068 (87×43T)



516-767 (85×31T)



516-126 (85×31T)



516-127 (85×31T)



228-650 (81×38T)



228-651 (81×38T)



228-565 (81×38T)



228-566 (81×38T)



228-126 (81×38T)



228-127 (81×38T)



304-565 (61×26T)



304-566 (61×26T)



Frames

304-126 (61×26T)



304-127 (61×26T)



808-402 (60×27T)



808-176N (60×27T)



808-176S (60×27T)



808-552 (60×27T)



808-553 (60×27T)









293-711B (91×46T) 382-711B (41×24T)



293-715B (91×46T) 382-715B (41×24T)



293-751 (91×46T)



293-752 (91×46T)



293M-1017 (91×46T)



293M-1018 (91×46T)



293M-1019 (91×46T)



293M-1020 (91×46T)



665-291 (63×29T)



665-176 (63×29T)



665-180 (63×29T)



807-241 (40×20T)



807-176 (40×20T)



807-217 (40×20T)



807-552 (40×20T)



807-553 (40×20T)



980-564 (108×39T)



980-565 (108×39T)



980-566 (108×39T)



952-637 (90×26T)



952-638 (90×26T)



207M-552 (85×55T)



207M-553 (85×55T)



207M-565 (85×55T)



207M-566 (85×55T)



978-565 (75×23T)



978-566 (75×23T)



811M-751 (73×27T)



811M-752 (73×27T)



811M-905 (73×27T)



811M-906 (73×27T)



686M-687S (50×20T)



686M-565 (50×20T)



686M-566 (50×20T)



469-687E (51×24T)



469-028D (51×24T)





469-022D (51×24T)



685-126 (39×20T)



) THE REPORT OF SERVICE AND REPORT OF SERVICE SERVICE.

685-217 (39×20T)



685-221 (39×20T)

685-182 (39×20T)



651-295 (32×23T)



651-176S (32×23T)



259-588 (37×51T)



259-1004 (37×51T)



259-1005 (57×511)



259-1028 (37×51T)



562-2 (86×31T)



562-4 (86×31T)



562-6 (86×31T)



807-1 (40×20T)



807-2 (40×20T)



807-3 (40×20T)



807-4 (40×20T)



807-5 (40×20T)



807-6 (40×20T)



007 7 (40^201)





564-6 (26×16T)









927-402 (89×32T)



927-252 (89×32T)



582-26 (75×18T)



582-27 (75×18T)



582-433 (75×18T)



582-438 (75×18T)



582-439 (75×18T)



582-440 (75×18T)



317M-433 (77×45T) 548M-433 (58×35T)



317M-438 (77×45T) 548M-438 (58×35T)



317M-439 (77×45T) 548M-439 (58×35T)



317M-440 (77×45T) 548M-440 (58×35T)



549-433 (62×31T)



549-438 (62×31T)



549-439 (62×31T)



549-440 (62×31T)



564-278 (26×16T)



564-438 (26×16T)



564-439 (26×16T)



564-440 (26×16T)



317-131 (77×45T) 548-131 (58×35T)



317-133 (77×45T) 548-133 (58×35T)



580-1421 (71×30T)



580-1497 (71×30T)



568-1421 (55×28T)



568-1497 (55×28T)



516-1333 (85×31T)



516-1069 (85×31T)



516-1070 (85×31T)




521-1333 (77×29T) 524-1333 (65×24T)



521-1069 (77×29T) 524-1069 (65×24T)



521-1070 (77×29T) 524-1070 (65×24T)



584-1069 (25×15T)



214-3 (98×32T)



214-6 (98×32T)



214-638 (98×32T)



214-373 (98×32T)



175-1 (60×42T)



175-2 (60×42T)



175-3 (60×42T)



175-4 (60×42T)



175-5 (60×42T)



175-6 (60×42T)



175-7 (60×42T)



Frames

176-1 (64×32T)



176-2 (64×32T)



176-3 (64×32T)



176-4 (64×32T)



176-5 (64×32T)



176-6 (64×32T)



176-7 (64×32T)







198-11 (55×33T)



198-12 (55×33T)



198-13 (55×33T)



198-14 (55×33T)



198-15 (55×33T)



198-16 (55×33T)



534-11 (33×18T)



534-12 (33×18T)



534-13 (33×18T)



534-14 (33×18T)



534-15 (33×18T)



534-16 (33×18T)



552-195 (83×31T) 553-195 (58×26T)



552-373 (83×31T) 553-373 (58×26T)



552-1153 (83×31T) 553-1153 (58×26T)



552-114 (83×31T) 553-114 (58×26T)



528-195 (45×31T)



528-1243 (45×31T)



528-1244 (45×31T)



528-114 (45×31T)



527-195 (78×33T)



527-725 (78×33T)



527-1243 (78×33T)



527-1244 (78×33T)



527-114 (78×33T)



477-195 (42×18T)



477-1243 (42×18T)



477-1244 (42×18T)



477-114 (42×18T)



578-28 (29×13T)



578-29 (29×13T)



578-39 (29×13T)



578-34 (29×13T)



578-22 (29×13T)



000 20 (20 101)



583-29 (20×15T)





807-44 (40×20T)



807-43 (40×20T)



807-41 (40×20T)



807-40 (40×20T)



807-42 (40×20T)





175-44 (60×42T) 148-44 (50×32T)



175-43 (60×42T) 148-43 (50×32T)



175-41 (60×42T) 148-41 (50×32T)



175-40 (60×42T) 148-40 (50×32T)



175-42 (60×42T) 148-42 (50×32T)



176-44 (64×32T)



176-43 (64×32T)



176-41 (64×32T)



176-40 (64×32T)



176-42 (64×32T)











**Awarded President Commendation** 

Awarded Gold Tower Order of Industrial Service Merit

Awarded the Top Commendation of Ministry of Commerce, Industry and Energy for RECYCLING

Won \$10 million Export Tower Award

GYEONGGI-DO, PAJU-SI, WOLLONG-MYEON, HYUAM-RO, 117BEON-GIL, 45

Tel. 82-31-945-3320

Fax. 82-31-945-6703

Ver.1